

**IN THE CLAIMS:**

The text of all pending claims, (including withdrawn claims) is set forth below. Cancelled and not entered claims are indicated with claim number and status only. The claims as listed below show added text with underlining and deleted text with ~~strikethrough~~. The status of each claim is indicated with one of (original), (currently amended), (cancelled), (withdrawn), (new), (previously presented), or (not entered).

Please AMEND claim 9 and ADD new claim 18 in accordance with the following:

1. (PREVIOUSLY PRESENTED) A home-delivery method for a receiver to receive a parcel, comprising:

registering user information including a home address and a working place address of the receiver in a home-delivery server;

registering consignment information of the parcel, to be received by the receiver, in a home-delivery server;

transmitting parcel information from the home-delivery server to a receiver's terminal after the consignment information is registered in the home-delivery server and before the parcel is delivered;

transmitting, from the receiver's terminal to the home-delivery server, first information about a consignment relay station designated by selecting a place for receiving the parcel from a group including a vicinity of the receiver's home and working place, and second information about a designated day and time for receiving the parcel, in response to the parcel information, the first and the second information being designated by the receiver;

receiving the first and the second information transmitted by the home-delivery server, the first and the second information being about the consignment relay station and about the day and the time respectively that the receiver designates; and

delivering a parcel to the consignment relay station that is designated by the receiver.

2. (ORIGINAL) The home-delivery method according to claim 1, wherein the parcel information includes information about contents, weight and dimensions of the parcel, and the receiver designates the consignment relay station by selecting a place for receiving a parcel from a group including at least the receiver's home and working place.

3. (PREVIOUSLY PRESENTED) The home-delivery method according to claim 1, wherein the registering comprises:

transmitting a map of an area selected by the receiver to the receiver's terminal from the home-delivery server, and

selecting a consignment relay station by the receiver from the transmitted map displayed on the receiver's terminal.

4. (PREVIOUSLY PRESENTED) The home-delivery method according to claim 3, further comprising displaying information about a privilege, the privilege being given to the receiver when the receiver receives the parcel before or at the designated day and time at the displayed consignment relay station.

5. (PREVIOUSLY PRESENTED) A home-delivery server used in a home-delivery system for a receiver to receive a parcel, comprising:

a database registering user information including a home address and a working place address of the receiver and consignment information about the parcel to be transmitted to the receiver;

means for transmitting parcel information to a receiver's terminal after the consignment information is registered in the home-delivery server and before the parcel is delivered;

means for receiving first information about a consignment relay station designated by selecting a place for receiving the parcel from a group including a vicinity of the receiver's home and working place, and second information about a day and a time, the first and the second information being designated by the receiver; and

means for instructing a deliveryman to deliver the parcel to the consignment relay station designated by the receiver to transfer the parcel to the receiver.

6. (PREVIOUSLY PRESENTED) The home-delivery server according to claim 5, further comprising means for transmitting a map including a consignment relay station in an area selected by the receiver for the receiver to designate the consignment relay station.

7. (PREVIOUSLY PRESENTED) The home-delivery server according to claim 5 or claim 6, further comprising means for informing the receiver of a message at a timing before the day and time designated by the receiver, the message inviting the receiver to receive the parcel.

8. (PREVIOUSLY PRESENTED) A computer-readable storage storing a program for controlling a computer to control a home-delivery system for a receiver to receive a parcel,

by:

registering consignment information in a database of a home-delivery server;

transmitting parcel information to a receiver's terminal after the consignment information is registered in the database and before the parcel is delivered;

designating a consignment relay station from a group including a vicinity of the receiver's home and working place

receiving information about a day, a time and the consignment relay station that the receiver designates for receiving the parcel; and

instructing a delivery man to deliver the parcel to the consignment relay station designated by the receiver.

9. (CURRENTLY AMENDED) The computer-readable storage storing a program for controlling a computer to control a home-delivery system for a receiver to receive a parcel according to claim 8, wherein the instructing the delivery man to deliver the parcel to the consignment relay station designated by the receiver to transfer the parcel to the receiver comprises confirming whether a user is a correct receiver.

10. (PREVIOUSLY PRESENTED) A home-delivery method for a receiver to receive a parcel, comprising

displaying parcel information on a receiver's terminal;

displaying consignment relay station information on the receiver's terminal;

delivering a parcel to a consignment relay station selected by the receiver, from a group including a vicinity of the receiver's home and working place, or to a default location; and

calculating a fee to be charged or a fee to be paid a user of the home-delivery method.

11. (PREVIOUSLY PRESENTED) The home delivery method according to claim 10, further comprising registering a time and a location for the delivery.

12. (PREVIOUSLY PRESENTED) The home delivery method according to claim 10, further comprising selecting a plurality of parcels to be delivered to a single consignment relay station.

13. (PREVIOUSLY PRESENTED) The home delivery method according to claim 10, wherein the displaying consignment relay station information further comprises:

displaying a location of the consignment relay information on a map; and  
displaying privilege information on a privilege that is receivable if a receiver  
selects the consignment relay station.

14. (PREVIOUSLY PRESENTED) A delivery system for a user to receive a parcel,  
comprising:

a user terminal receiving information about a parcel to be received and transmitting a  
location for a delivery from a group including a vicinity of the receiver's home and working place;

a consignment relay station terminal receiving information about an identity of the user  
and the parcel to be transferred to the user; and

a delivery server connectable to the user terminal and the consignment relay station  
terminal via a network, the delivery server comprising a database with user information,  
consignment relay station information, and parcel information.

15. (PREVIOUSLY PRESENTED) The delivery system according to claim 14,  
wherein the user terminal transmits a location and a time of a desired delivery selected by the  
user, from a group including the receiver's home and working place, to the delivery server

16. (PREVIOUSLY PRESENTED) The delivery system according to claim 14, the  
delivery server further comprising a processor calculating a fee to be paid or a fee to be charged  
a user of the delivery system.

17. (PREVIOUSLY PRESENTED) The delivery system according to claim 14,  
wherein the user terminal comprises a screen, and a map of a selectable consignment relay  
station location transmitted by the delivery server is displayable on the screen.

18. (NEW) A home-delivery method for a receiver to receive a parcel, comprising:  
registering user information including a home address and a working place address of  
the receiver;

registering consignment information of the parcel to be received by the receiver;

accepting designation information from the receiver after the consignment information is  
registered and before the parcel is delivered, the designation information including information  
about a consignment relay station selected from consignment relay stations located in a vicinity  
of the home address and the working place address of the receiver, and information about a day

Serial No. 09/778,917

and a time for receiving the parcel; and

delivering the parcel in accordance with the accepted designation information.